Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("5433126").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 12:14
S2		("1526861").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 14:19
S3	10	"1526861"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:19
S4	0	"GB 1 526 861"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:20
S5	10	"2353415"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:21
S7	2	"GB 1526861"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:23
S9	143	S8 and locking	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:24
S8	543	(297/378.1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 14:26

S10	0	("vehicleadjseatandlockingandcont rolandjoingandforcewithtransmittin gandspringandbolt").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 14:26
S11	126	vehicle adj seat and bolt and spring and control and locking and joint and (rotatably or rotatable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:37
S12	7	"0709248"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:37
S13	0	"EP 0709248"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:57
S14	0	bolt adj device with tiltable with backrest	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:28
S15	2	("5681081").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 15:29
S16	2	"19926524"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:31
S17	4	"10030822"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:31

S18	0	EP0854063	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:31
S19	. 5	"0854063"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:39
S20	2	("5125695").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 15:39
S21	521	(297/335).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 15:42
S22	229508	locking and bolt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:42
S23	49	S21 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:46
S24	315	297/336	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:46
S25	238	(297/336).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 15:57

12/5/2007 2:46:05 PM Page 3
C:\Documents and Settings\kwilson\My Documents\EAST\Workspaces\10532192_movement limiter particularly for pivotable element

S26	0	(197/378.12).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 15:57
S27	816	(297/378.12).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 15:58
S28	13858	(folding or foldable) and (locking or lockable) and bolt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:59
S29	78	S27 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:01
S30	161	297/378.13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:06
S31	102	(297/378.14).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 16:07
S32	188	(297/378.13).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 16:07
S33	0	divided with backrest with latch with spring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:13

S34	19	divided with backrest and latch and spring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:14
S35	12	rotatable with backrest with release	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:14
S36	86	split with backrest	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:14
S37	13	("2461378" "2787169" "3208300").PN. OR ("5433126"). URPN.	US-PGPUB; USPAT; USOCR	OR	ŅΝ	2007/06/18 16:21
S38	251	bolt with retracting with control	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/18 16:21
S39	237	bolt with retracting with control and spring	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/18 16:21
S40	261	(297/15).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/19 07:51
S41	68	S40 and locking	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 07:51
S42	236	(297/380).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/19 07:54

				,		
S43	62	S42 and folding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 07:55
S44	816	(297/378.12).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/19 07:56
S45	360	divided with backrest	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 07:59
S47		folding with backrest with (catch or release)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 08:08
S48	0	vehicle with seat with folding with (counter adj bearing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 08:12
S49	. 2	latch with (counter adj bearing) with bolt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/06/19 08:12
S50	1502	"378.1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 08:12
S51	543	(297/378.1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/19 08:13

S52	0	("foldingorfoldable").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/19 08:13
S53	427431	folding or foldable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 08:13
S54	230	S51 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 08:14
S55	14	split with backrest with vehicle with rear	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 08:14
S56	12	("3761127" "4218074" "5022677" "5253924" "5286084" "5289986" "5441332").PN. OR ("5829831"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/19 08:23
S57	93	limit with stop with direction with rotation with seat	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/19 08:45
S58	23	rotation with stop with folding with seat	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/19 08:48
S59	13	folding with seat with (bowden adj cable)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/19 08:49
S60	88	folding with seat and (bowden adj cable)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/19 09:02
S61	396	limit with rotation with seat with stop	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/19 09:04
S62	0	limit with rotation with stop with releasable with catch with (vehicle adj seat)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/19 09:05

12/5/2007 2:46:05 PM Page 7
C:\Documents and Settings\kwilson\My Documents\EAST\Workspaces\10532192_movement limiter particularly for pivotable element

S63	4	limit with rotation with stop with releasable with catch	US-PGPUB; USPAT; USOCR	ÓR	ON	2007/06/19 09:05
S64	21	limit with rotation with release with catch	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/19 09:06
S65	23	catch with release with vehicle adj seat	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/19 09:07
S66	1	L adj bracket with catch with release	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/19 09:08
S67	38	hook with rotation with limit with (release or releasable)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/19 09:10
S68	41	limit with rotation with release with seat	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/19 09:10
S69	0	(292/(340,341,163,207,302)). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/19 10:05
S71	0	("41andbolt").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/19 10:05
S72	901	S70 and bolt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:05
S70	3362	(292/340,341,163,207,302).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/19 10:07
S73	901	S70 and bolt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:07

S74	151	S73 and catch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:10
S75	122	(70/261).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/19 10:11
S76	0	("4147374,4195867,4479675"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/19 10:12
S77	0	("4147374","4195867", "4479675").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/19 10:12
S78	2	("4147374").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/19 10:13
S79	2	("4195867").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/19 10:13
S80	2	("4479675").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/19 10:25
S81	0	("pivotableadjseatadjbottom").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/19 10:25

12/5/2007 2:46:05 PM Page 9
C:\Documents and Settings\kwilson\My Documents\EAST\Workspaces\10532192_movement limiter particularly for pivotable element

S82	7	pivotable adj seat adj part	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:27
S83	2	pivotable adj seat adj bottom	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:28
S84	9	("1161420" "1441388" "1648205" "20040041431" "6682120").PN. OR ("6921129"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/19 10:31
S85	4340	link.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:59
S86	28	link-watter.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 12:01
S87	17	oki-yasukazu.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 12:01
S88	192	(297/378.13).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/12/04 15:55
S89	18	("2624613" "2874993" "3028199").PN. OR ("3788685"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/04 16:19
S90	18	("2624613" "2874993" "3028199").PN. OR ("3788685"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/04 16:23
S91	110	(297/378.14).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/12/04 16:23